



## RoofRite Basecoat

### Description:

RoofRite Roof Paint is a Premium 100% Acrylic Roof Coating which gives a tough, dirt resistant surface. RoofRite Roof Paint has excellent gloss retention in early and extended weathering. Formulated using pure acrylic resins it is an ideal topcoat for all properly prepared and primed roofing surfaces including galvanised iron, fibre-cement, concrete and stone chip roof tiles.

### Features and Benefits:

- Excellent adhesion to primed and correctly prepared old paintwork
- Can be used on properly prepared substrate types and may be used for the collection of drinking water
- Durable gloss, semi gloss or matt finish

### Limitations:

Do not apply when ambient temperature is below 8°C or surface temperature is above 40°C.

### Technical Data:

<b>Resin Type:</b>	100% Acrylic Emulsion
<b>Pigmentation:</b>	Oxide pigments and inert extenders
<b>Solvents:</b>	Water-based
<b>Colour:</b>	A range of factory made colours
<b>Gloss Level:</b>	Gloss, Semi Gloss & Matt
<b>Density:</b>	1.36 Kgs/ Litre average
<b>Dry-Time:</b>	30 mins Touch, 2 hour overcoat. Cooler temperatures, higher film thickness or high humidity will require longer drying times
<b>DFT:</b>	65 microns
<b>WFT:</b>	167 microns
<b>Coverage:</b>	10 -12 m <sup>2</sup> /L
<b>No. of coats:</b>	Two
<b>Pack size:</b>	20L
<b>Flash Point:</b>	None
<b>Thinner:</b>	Water

### Surface Preparation:

Surface must be thoroughly cleaned to remove all traces of dust, dirt & moss. Water-blast using a minimum pressure of 2500psi.

### Application:

To a properly prepared surface, apply by airless spray, two liberal coats at the recommended coverage rate. Allow at least 2 hours drying time between coats.

### For Best Results:

1. Use airless tip size 0.013" or 0.015" at 1500 to 2000 psi
2. To achieve even film builds - spray apply – use the cross hatch method
3. On porous concrete tiles use RoofRite Tile Sealer for the first coat
4. Do not exceed the recommended wet film thickness

**RoofRite Roof Paint – Version 1.1**  
**TDS No: 4928/4958/4988 Date Issued 3 October 2022**

**Health and Safety:**

(Please refer to Material Safety Data Sheet before using)

RoofRite Roof Paint is essentially non-flammable and non-hazardous

**KEEP OUT OF REACH OF CHILDREN**

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufacturers Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufacturers Ltd be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.